

Appl. No. 09/909,288
Atty. Docket No. CM2506
Amdt. dated 8/15/2005
Reply to Office Action of 5/26/2005
Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of the Claims:

1-29. (Cancelled)

30. (Withdrawn) A method of removing cooked-, baked- or burnt-on soils from cookware and tableware comprising treating the cookware/tableware with a hard surface cleaning composition according to Claim 1.

31. (Withdrawn) A method of removing cooked-, baked- or burnt-on polymerized grease soils from metallic cookware and tableware comprising treating the cookware/tableware with a hard surface cleaning composition according to Claim 1.

32. (Withdrawn) A method of removing cooked-, baked- or burnt-on carbohydrate soils from metallic cookware and tableware comprising treating the cookware/tableware with a hard surface cleaning composition according to Claim 1.

33. (Withdrawn) A method according to Claim 30 comprising the step of pre-treating the cookware/tableware with the hard surface cleaning composition prior to manual or automatic dishwashing.

34. (Withdrawn) A method according to Claim 30 comprising the step of pre-treating the cookware/tableware with the hard surface cleaning composition and covering the pre-treated cookware/tableware with the hard surface cleaning composition and covering the pre-treated cookware/tableware with cling film for a time sufficient to promote swelling of the soil prior to manual or automatic dishwashing.

35. (Withdrawn) A method of removing cooked-, baked- or burnt-on soils from cookware and tableware comprising pretreating the soiled cookware/tableware with a shear thinning hard surface cleaning composition comprising a soil swelling agent and thereafter washing the cookware/tableware in an automatic dishwashing machine.

Appl. No. 09/909,288
Atty. Docket No. CM2506
Amdt. dated 8/15/2005
Reply to Office Action of 5/26/2005
Customer No. 27752

36-56. (Cancelled)

57. (Currently Amended) A hard surface cleaning product comprising ~~a~~ the hard surface cleaning composition of ~~Claim 38~~ and a spray dispenser, wherein spray droplets from the spray dispenser have an average equivalent geometric diameter from about 3 μm to about 10 μm , as measured using a TSI Aerosizer; wherein the cleaning composition comprises ~~product comprising~~ an organic solvent system, a thickening system comprising a natural gum and a synthetic smectite type clay thickening agent having an average platelet size of less than about 100 nm, wherein the organic solvent system comprises at least one organoamine ~~solvent component acting as a soil swelling agent~~; wherein the composition ~~product~~ has a pH, as measured in a 10% solution in distilled water, from about 11.5 to about 14; and wherein said composition ~~has product having~~ shear thinning properties.

58. (Currently Amended) The ~~composition~~ product according to Claim 38 ~~57~~, wherein the thickening system further comprises a viscoelastic, thixotropic thickening agent.

59. (Cancelled)

60. (Currently Amended) The ~~composition~~ product according to Claim 59 ~~57~~, wherein the organic solvent system ~~is~~ comprises a member selected from the group consisting of alcohols, amines, esters, glycol ethers, glycols, terpenes, and mixtures thereof, and includes at least one organoamine solvent component.

61. (Cancelled)

62. (Currently Amended) The ~~composition~~ product according to Claim 59 ~~57~~, wherein the organic solvent comprises an organoamine solvent and a glycol ether solvent, wherein the glycol ether solvent is selected from the group consisting of ethylene glycol monobutyl ether, diethylene glycol monobutyl ether, ethylene glycol monomethyl ether, ethylene glycol monoethyl ether, diethylene glycol monomethyl ether, diethylene glycol monoethyl ether, propylene glycol monobutyl ether, dipropylene glycol ~~monobutyl~~ monobutyl ether, ethylene glycol phenyl ether, and mixtures thereof.

63. (Currently Amended) The ~~composition~~ product according to Claim 62, wherein the glycol ether solvent is a mixture of diethylene glycol monobutyl ether and propylene glycol butyl ether.

Appl. No. 09/909,288
Atty. Docket No. CM2506
Amdt. dated 8/15/2005
Reply to Office Action of 5/26/2005
Customer No. 27752

64. (Currently Amended) The ~~composition~~ product according to Claim ~~59~~ 57, wherein the organic solvent system has a volatile organic content of less than about 50% at about 1 mm Hg.

65. (Currently Amended) The ~~composition~~ product according to Claim ~~59~~ 57, wherein the organic solvent system is essentially free of solvent components having: a boiling point below about 150°C, a flash point below about 50°C, or a vapor pressure above about 1 mm Hg.

66. (Cancelled)